RSV
ISSN 2674-8584

Received: 13/07/2026 - **Accepted:** 20/08/2026
Vol: 08.08 - August
DOI: 10.66104/gehjha65
Pages: 1-12

Palliative Care in Healthcare Networks: Perspectives for Comprehensive and Humanized Care

Rosenilda Rodrigues dos Santos
Doutoranda em Saúde Pública
Christian Business School
https://orcid.org/0000-0003-2124-7785"

Ana Paula Martins de Souza
Mestre em Educação
Universidad Europea del Atlántico

Sérgio Raimundo Ernesto Machado agosto
Doutorando em Saúde Pública
Universidad de Ciencias Empresariales y Sociales, Argentina

Oldair Donizete Galeni
Doutorando em Saúde Pública
Universidad de Ciencias Empresariales y Sociales, Argentina

Grazielli Meneses Brito
Doutoranda em Saúde Pública
Universidad de Ciencias Empresariales y Sociales, Argentina

Viviane Gonçalves Ferreira
Técnica de enfermagem
Universidade Federal de Uberlândia, Brasil

Meirielem Marina Araújo Bevilacqua
Técnica de laboratório de análises clínicas
Universidade Federal de Uberlândia, Brasil

José Roberval Ferreira de Oliveira
Doutorando em Saúde Pública
Universidad de Ciencias Empresariales y Sociales, Argentina

Abstract

Palliative care has become an essential component of contemporary healthcare systems due to population ageing, the increasing prevalence of chronic diseases, and the growing need for approaches capable of addressing complex health conditions beyond curative interventions. Traditionally associated with end-of-life care, palliative care has expanded its

CC BY

ISSN 2674-8584

Received: 13/07/2026 - **Accepted:** 20/08/2026
Vol: 08.08 - August
DOI: 10.66104/gehjha65
Pages: 1-12

scope to include early interventions focused on symptom control, quality of life improvement, psychosocial support, and respect for individual preferences throughout the course of serious illnesses. However, its integration into healthcare networks remains a challenge in many contexts due to organizational barriers, limited professional training, and insufficient incorporation into public health policies. This academic essay analyzes the role of palliative care within healthcare networks, emphasizing perspectives for comprehensive and humanized care. The discussion explores the principles guiding palliative approaches, the importance of multidisciplinary teamwork, the challenges associated with integrating palliative care into different levels of healthcare, and the role of public policies in expanding access. The manuscript argues that effective palliative care requires a shift from fragmented and disease-centered models toward integrated systems capable of recognizing biological, psychological, social, and existential dimensions of health.

Keywords: palliative care; healthcare networks; humanized care; comprehensive healthcare; primary health care; chronic diseases.

1. Introduction

Healthcare systems worldwide are experiencing profound demographic and epidemiological transformations. Population ageing, increased life expectancy, and the growing prevalence of chronic and progressive diseases have generated new demands regarding the organization of care. Conditions such as cancer, cardiovascular diseases, neurodegenerative disorders, and advanced chronic illnesses frequently require approaches capable of addressing complex symptoms and supporting patients and families throughout prolonged trajectories of illness.

Within this context, palliative care has emerged as a fundamental component of comprehensive healthcare. Rather than representing only a strategy for the final stages of life, contemporary palliative care emphasizes early identification of needs, symptom management, improvement of quality of life, and support for individuals facing serious health conditions. This perspective challenges traditional healthcare models that often prioritize disease control and technological interventions while insufficiently addressing emotional, social, cultural, and existential dimensions of suffering.

The integration of palliative care into healthcare networks represents an important step toward more humanized and patient-centered systems. Effective palliative approaches require coordination between different levels of care, including hospitals, specialized services, Primary Health Care, and community-based resources. However, significant challenges remain, including unequal access, insufficient professional preparation, limited institutional support, and misconceptions that associate palliative care exclusively with death and therapeutic limitation.

Considering the growing importance of palliative care within healthcare systems and the need to strengthen comprehensive and humanized approaches, this essay seeks to answer the following research question: How can the integration of palliative care into

CC BY

RSV
ISSN 2674-8584

Received: 13/07/2026 - **Accepted:** 20/08/2026
Vol: 08.08 - August
DOI: 10.66104/gehjha65
Pages: 1-12

healthcare networks contribute to the development of more comprehensive, coordinated, and humanized models of care for individuals with serious and chronic health conditions?

2. Methodology

This manuscript is structured as an academic essay based on critical reflection and theoretical analysis of scientific literature addressing palliative care, healthcare networks, humanized care, chronic disease management, multidisciplinary practices, and health policy organization. The objective is to discuss contemporary challenges and perspectives related to the integration of palliative approaches into healthcare systems.

The discussion is organized into three thematic sections. The first section examines palliative care as an essential component of comprehensive healthcare systems and discusses its evolution beyond traditional end-of-life approaches. The second section analyzes humanized care, multidisciplinary collaboration, and the challenges involved in implementing palliative care across different healthcare settings. The third section explores the role of public policies, healthcare networks, and organizational strategies in expanding access and improving the quality of palliative services.

To preserve the continuity of the argument and facilitate reading flow, references are not inserted throughout the body of the manuscript. All concepts, theoretical discussions, and scientific perspectives presented in this essay are supported by peer-reviewed literature and institutional documents, which are presented exclusively in the reference section according to the American Psychological Association (APA, 7th edition) formatting guidelines.

3. Development

3.1 Palliative Care as a Component of Comprehensive Healthcare Systems

Palliative care has progressively evolved from a model traditionally associated with terminal illness management into a broader approach focused on improving quality of life for individuals facing serious health conditions. This transformation reflects changes in healthcare needs, particularly the increasing prevalence of chronic diseases and the growing recognition that medical care must address not only biological aspects of illness but also emotional, social, cultural, and existential dimensions of human experience.

The central objective of palliative care is not the acceleration or postponement of death but the reduction of suffering and the promotion of dignity throughout the course of illness. This perspective emphasizes symptom control, communication, shared decision-making, and respect for individual values and preferences. By focusing on the person rather than exclusively on the disease, palliative care contributes to more comprehensive models of healthcare delivery.

CC BY

RSV
ISSN 2674-8584

Received: 13/07/2026 - **Accepted:** 20/08/2026
Vol: 08.08 - August
DOI: 10.66104/gehjha65
Pages: 1-12

Modern healthcare systems frequently face challenges associated with fragmented care pathways. Individuals with complex chronic conditions often interact with multiple professionals and services, which may result in communication gaps, duplicated interventions, and insufficient coordination. Palliative care provides an opportunity to reorganize care around individual needs, promoting continuity and integration between different healthcare sectors.

The incorporation of palliative care into healthcare networks is particularly relevant in contexts marked by population ageing. Increased longevity has resulted in a greater number of individuals living with multiple chronic conditions, functional limitations, and complex healthcare requirements. These changes require approaches capable of supporting long-term care trajectories rather than focusing exclusively on acute episodes or disease-specific interventions.

Cancer care has historically represented one of the main areas associated with palliative approaches. However, the benefits of palliative care extend to various other conditions, including heart failure, chronic respiratory diseases, neurological disorders, kidney failure, and advanced infectious diseases. Expanding access beyond oncology is essential for ensuring that individuals with different types of serious illness can benefit from comprehensive support.

The integration of palliative care from earlier stages of illness represents an important shift in healthcare organization. Rather than being introduced only when curative options are exhausted, palliative approaches can be provided alongside disease-directed treatments. This early integration allows better symptom management, improved communication, and greater support for patients and families throughout the illness trajectory.

Primary Health Care plays a strategic role in this integrated model because it maintains continuous relationships with individuals and communities. Primary care professionals are often positioned to identify changing health needs, coordinate services, support families, and facilitate communication between different levels of healthcare. Strengthening palliative care within primary care contributes to more accessible and equitable services.

Home-based palliative care represents another important dimension of comprehensive healthcare networks. Many individuals prefer to receive care within familiar environments surrounded by family and community support. However, effective home care requires adequate professional support, coordination mechanisms, access to medications and equipment, and communication channels between healthcare teams and caregivers.

Family involvement is a fundamental component of palliative care because illness affects not only individuals but also their social networks. Relatives and caregivers frequently experience emotional, physical, and financial challenges while supporting individuals with serious conditions. Comprehensive palliative approaches must therefore

CC BY

RSV
ISSN 2674-8584

Received: 13/07/2026 - **Accepted:** 20/08/2026
Vol: 08.08 - August
DOI: 10.66104/gehjha65
Pages: 1-12

include family education, psychological support, and recognition of caregivers as partners in care.

The concept of integral care requires healthcare systems to move beyond models focused solely on disease treatment. Individuals experiencing serious illnesses often face symptoms such as pain, fatigue, anxiety, depression, loss of independence, and concerns about meaning and dignity. Addressing these dimensions requires healthcare practices that recognize the complexity of human suffering.

Communication is one of the foundations of effective palliative care. Discussions about diagnosis, prognosis, treatment options, goals of care, and future preferences require sensitivity and professional preparation. Poor communication may increase anxiety, create unrealistic expectations, and contribute to interventions that do not align with individual values. Conversely, clear and compassionate communication strengthens trust and shared decision-making.

Ethical considerations are central to palliative care practice. Healthcare professionals frequently encounter decisions involving treatment limitations, autonomy, quality of life, and proportionality of interventions. Ethical approaches require respect for patient preferences while considering clinical realities and the perspectives of families and healthcare teams.

The availability of palliative care services remains unequal across regions and healthcare systems. Differences in resources, professional training, infrastructure, and policy prioritization influence access to these services. Expanding palliative care requires strategies that consider social inequalities and ensure that access is not restricted to individuals with greater socioeconomic advantages.

Healthcare workforce preparation represents a major factor influencing the quality and availability of palliative care. Many professionals receive limited education regarding symptom management, communication about serious illness, and end-of-life decision-making during their formal training. Strengthening professional education is therefore essential for integrating palliative principles across healthcare settings.

Considering these aspects, palliative care should be understood as a fundamental component of comprehensive healthcare systems rather than as a specialized service restricted to specific situations. Its integration into healthcare networks contributes to more coordinated, equitable, and humanized models of care capable of responding to the complex needs of individuals living with serious illnesses. Developing such systems requires organizational commitment, professional preparation, and recognition that quality healthcare must address both the disease and the person experiencing it.

3.2 Humanized Care, Multidisciplinary Approaches and the Challenges of Palliative Care Integration

CC BY

RSV
ISSN 2674-8584

Received: 13/07/2026 - **Accepted:** 20/08/2026
Vol: 08.08 - August
DOI: 10.66104/gehjha65
Pages: 1-12

Humanized care represents one of the fundamental principles of palliative care because it recognizes individuals as complex beings whose needs extend beyond clinical symptoms. In situations involving serious illness, suffering is often influenced by emotional distress, social changes, spiritual concerns, family dynamics, and uncertainty regarding the future. A humanized approach requires healthcare professionals to consider these dimensions and develop practices centered on dignity, autonomy, and respect.

The traditional biomedical model has produced significant advances in diagnosis and treatment; however, it may insufficiently address the subjective experiences associated with illness. In many healthcare settings, attention remains focused on controlling biological processes while overlooking individual perceptions, fears, preferences, and expectations. Palliative care contributes to overcoming these limitations by promoting a broader understanding of health and illness.

Patient-centered care is a central element of humanized palliative practice. This approach recognizes that individuals should actively participate in decisions regarding their healthcare whenever possible. Respecting preferences, values, and personal goals allows treatments to be aligned with what patients consider meaningful, reducing unnecessary interventions and promoting greater satisfaction with care.

Multidisciplinary teamwork is essential for addressing the complexity of palliative care needs. Serious illnesses often involve multiple dimensions that cannot be adequately managed by a single professional discipline. Physicians, nurses, psychologists, social workers, nutritionists, physiotherapists, pharmacists, spiritual care providers, and other professionals contribute complementary perspectives to comprehensive care planning.

Effective multidisciplinary collaboration requires communication, shared responsibilities, and coordinated decision-making. Without clear communication channels, healthcare teams may experience fragmentation, inconsistent approaches, and difficulties establishing common goals of care. Organizational structures that encourage teamwork are therefore fundamental for ensuring continuity and coherence in palliative interventions.

Nursing professionals occupy a particularly important role within palliative care because they frequently maintain close and continuous contact with patients and families. Their involvement includes symptom monitoring, emotional support, education, coordination of care, and identification of changing needs. This proximity allows nurses to contribute significantly to the humanization of healthcare experiences.

Psychosocial support represents another essential dimension of palliative care. Serious illness can affect identity, relationships, social roles, and emotional stability. Psychological and social interventions help individuals and families cope with uncertainty, grief, fear, and changes associated with illness progression. Recognizing these aspects prevents healthcare from reducing suffering exclusively to physical symptoms.

Spiritual and existential concerns may also become particularly relevant for individuals facing advanced illness. Questions regarding meaning, purpose, hope, and personal values often emerge during periods of serious health challenges. Palliative care

CC BY

RSV
ISSN 2674-8584

Received: 13/07/2026 - **Accepted:** 20/08/2026
Vol: 08.08 - August
DOI: 10.66104/gehjha65
Pages: 1-12

approaches that acknowledge these dimensions provide more comprehensive support while respecting diverse beliefs and individual perspectives.

Pain and symptom management remain important components of palliative practice. Symptoms such as pain, nausea, fatigue, respiratory discomfort, and anxiety may significantly affect quality of life. Effective management requires clinical knowledge, regular assessment, individualized planning, and continuous adjustment according to changing needs throughout the illness trajectory.

Despite the recognized benefits of palliative care, several barriers limit its integration into healthcare systems. One major challenge is the persistent misconception that palliative care represents abandonment of treatment or loss of hope. Such misunderstandings may delay referrals and prevent individuals from receiving supportive interventions at earlier stages of illness.

Healthcare professionals may also experience difficulties initiating conversations about prognosis, goals of care, and end-of-life preferences. These discussions require communication skills, emotional preparation, and institutional support. Without adequate training, professionals may avoid these conversations or approach them in ways that do not fully respond to patients' needs.

Another challenge involves the organization of healthcare services. Many systems remain structured around specialized and episodic care rather than continuous and integrated approaches. The absence of clear referral pathways, insufficient coordination between services, and limited availability of specialized teams can restrict the implementation of palliative care across healthcare networks.

Resource limitations also influence access to palliative services. Shortages of trained professionals, inadequate infrastructure, limited availability of essential medications, and unequal distribution of services create disparities between regions and populations. Addressing these barriers requires policy commitment and investment in healthcare capacity.

The integration of palliative care into Primary Health Care presents both opportunities and challenges. While primary care teams are well positioned to provide continuous and community-based support, they may face limitations related to training, workload, and access to specialized consultation. Strengthening collaboration between primary and specialized services is essential for overcoming these challenges.

Caregivers represent another important element within palliative care networks. Families often assume significant responsibilities in supporting individuals with serious illnesses, particularly in home-based care contexts. However, caregivers may experience physical exhaustion, emotional distress, and financial difficulties. Supporting caregivers should therefore be considered an integral component of humanized care.

Technological advances may contribute to improving palliative care coordination, particularly through electronic health records, telehealth, and communication platforms that

CC BY

RSV
ISSN 2674-8584

Received: 13/07/2026 - **Accepted:** 20/08/2026
Vol: 08.08 - August
DOI: 10.66104/gehjha65
Pages: 1-12

facilitate interaction between professionals and families. However, technology should function as a complement to human relationships rather than replacing direct interaction and compassionate care.

The future of palliative care depends on the ability of healthcare systems to combine technical competence with relational approaches. Humanized care requires not only knowledge of clinical management but also the capacity to listen, communicate, understand individual experiences, and recognize vulnerability. This balance between scientific practice and human connection represents one of the defining characteristics of high-quality palliative care.

Therefore, integrating palliative care into healthcare networks requires cultural, organizational, and professional transformations. Overcoming fragmented models, strengthening multidisciplinary collaboration, improving professional education, and promoting patient-centered approaches are essential steps toward developing healthcare systems capable of providing comprehensive and humanized support for individuals and families facing serious illnesses.

3.3 Public Policies, Healthcare Networks and the Future of Palliative Care

Public policies play a fundamental role in establishing the conditions necessary for the expansion and sustainability of palliative care within healthcare systems. Although palliative approaches have demonstrated significant benefits for individuals with serious illnesses and their families, access remains uneven in many countries due to differences in political prioritization, healthcare organization, available resources, and professional capacity. Developing effective policies is therefore essential for transforming palliative care from an isolated service into an integrated component of health systems.

The inclusion of palliative care within healthcare networks requires a shift from fragmented approaches toward coordinated models capable of connecting different levels of care. Healthcare systems must establish clear pathways between Primary Health Care, specialized outpatient services, hospitals, emergency services, and community-based resources. This integration allows individuals to receive appropriate support according to their needs throughout different stages of illness.

Primary Health Care should occupy a central position in public policies related to palliative care because of its ability to provide continuous and community-oriented care. Primary care teams are often the first point of contact for individuals and families and can identify emerging needs, coordinate referrals, support home-based care, and maintain long-term relationships with patients. Strengthening this level of care is essential for ensuring that palliative approaches become accessible to broader populations.

The development of national palliative care policies requires clear definitions regarding organization, financing, professional responsibilities, and quality standards. Without structured policies, services may develop unevenly, leading to disparities in access

CC BY

RSV
ISSN 2674-8584

Received: 13/07/2026 - **Accepted:** 20/08/2026
Vol: 08.08 - August
DOI: 10.66104/gehjha65
Pages: 1-12

and inconsistent models of care. Governmental commitment is therefore necessary to establish sustainable frameworks capable of guiding implementation across different healthcare contexts.

Workforce development represents one of the main priorities for expanding palliative care. Healthcare professionals require specific competencies related to symptom management, communication, ethical decision-making, psychosocial support, and interdisciplinary collaboration. Incorporating palliative care education into undergraduate and postgraduate training programs contributes to preparing professionals capable of responding to increasingly complex healthcare demands.

Continuous professional development is equally important because healthcare practices and patient needs constantly evolve. Training opportunities should be available for professionals working across different healthcare settings, including those who do not specialize exclusively in palliative care. Building broad-based competencies allows palliative principles to become incorporated into routine clinical practice.

Financing mechanisms also influence the availability and sustainability of palliative care services. Health systems that allocate insufficient resources may struggle to develop specialized teams, provide essential medications, or support community-based initiatives. Adequate financing demonstrates political recognition of palliative care as an essential healthcare component rather than an optional service.

Equity must be a central principle guiding palliative care policies. Individuals living in rural areas, socially vulnerable communities, or regions with limited healthcare infrastructure often experience greater difficulties accessing specialized support. Public policies should prioritize strategies capable of reducing these inequalities, including decentralized services, professional training in underserved areas, and integration with existing community health structures.

The development of home-based palliative care programs represents an important strategy for increasing accessibility and respecting individual preferences. Many patients prefer receiving care in familiar environments surrounded by family and community support. However, successful home care requires coordinated healthcare teams, caregiver support, availability of medications, and mechanisms for managing clinical changes outside hospital settings.

Healthcare networks must also incorporate mechanisms for evaluating the quality of palliative care services. Indicators related to symptom control, patient satisfaction, family support, continuity of care, and healthcare utilization can contribute to improving service organization. Evaluation allows policymakers and healthcare managers to identify weaknesses and develop evidence-based improvements.

Public awareness regarding palliative care remains another important policy challenge. Misunderstandings about the meaning and objectives of palliative approaches can delay access and create resistance among patients, families, and even healthcare

CC BY

RSV
ISSN 2674-8584

Received: 13/07/2026 - **Accepted:** 20/08/2026
Vol: 08.08 - August
DOI: 10.66104/gehjha65
Pages: 1-12

professionals. Educational initiatives are necessary to communicate that palliative care represents active support focused on quality of life rather than abandonment of treatment.

The relationship between palliative care and technological development presents new possibilities for healthcare networks. Digital tools can support communication between professionals, improve monitoring of symptoms, facilitate remote consultations, and enhance coordination among different services. However, technological solutions must remain aligned with human-centered principles and should not replace interpersonal relationships essential to compassionate care.

Research and innovation are also important components of future palliative care development. Evidence generation regarding effective models, service organization, patient experiences, and healthcare outcomes contributes to improving practices and guiding policies. Encouraging interdisciplinary research strengthens understanding of how palliative care can be adapted to different cultural, organizational, and social contexts.

The integration of palliative care into broader strategies for chronic disease management is increasingly relevant. As populations age and the prevalence of long-term conditions increases, healthcare systems must develop approaches capable of supporting individuals throughout prolonged illness trajectories. Palliative care provides valuable principles for improving continuity, reducing unnecessary interventions, and aligning care with individual goals.

International cooperation can contribute to strengthening palliative care development by facilitating knowledge exchange, professional training, and policy learning between healthcare systems. Different countries face distinct challenges, but shared experiences can support the identification of effective approaches and the adaptation of successful models to local realities.

The future of palliative care depends on recognizing it as a fundamental element of comprehensive healthcare rather than a specialized service limited to the final moments of life. Integrating palliative approaches into healthcare networks requires political commitment, organizational transformation, professional preparation, and continuous attention to equity and human dignity. By strengthening these elements, health systems can move toward models of care that better respond to the complexity of serious illness and provide more compassionate, coordinated, and person-centered support.

4. Conclusion

Palliative care has become an essential component of modern healthcare systems due to the increasing complexity of health conditions associated with population ageing, chronic diseases, and prolonged illness trajectories. Its role extends beyond end-of-life assistance, incorporating comprehensive approaches focused on symptom management, quality of life, autonomy, communication, and support for individuals and families. Integrating palliative care into healthcare networks represents an important transformation

CC BY

RSV
ISSN 2674-8584

Received: 13/07/2026 - **Accepted:** 20/08/2026
Vol: 08.08 - August
DOI: 10.66104/gehjha65
Pages: 1-12

toward models that recognize patients as whole individuals with biological, emotional, social, and existential needs.

The development of comprehensive and humanized palliative care requires coordinated actions involving healthcare professionals, public policies, healthcare organizations, and communities. Strengthening Primary Health Care, expanding professional education, improving service integration, ensuring equitable access, and promoting patient-centered approaches are fundamental strategies for consolidating palliative care as a continuous component of healthcare delivery. Future healthcare systems must move beyond fragmented and disease-centered models, adopting approaches capable of providing compassionate, coordinated, and dignified care throughout the different stages of life and illness.

References

Arias-Casais, N., Garralda, E., Rhee, J. Y., de Lima, L., Pons, J. J., Clark, D., et al. (2019). EAPC atlas of palliative care in Europe 2019. *European Association for Palliative Care*.

Brennan, F. (2018). Palliative care as an international human right. *Journal of Pain and Symptom Management, 55*(2S), S143–S147.

Clark, D. (2018). *To comfort always: A history of palliative medicine since the nineteenth century*. Oxford University Press.

Connor, S. R. (2020). *Global atlas of palliative care at the end of life* (2nd ed.). Worldwide Hospice Palliative Care Alliance.

Ferrell, B. R., Twaddle, M. L., Melnick, A., & Meier, D. E. (2018). National Consensus Project Clinical Practice Guidelines for Quality Palliative Care Guidelines, 4th Edition. *Journal of Palliative Medicine, 21*(12), 1684–1689.

Gómez-Batiste, X., & Connor, S. (2017). *Building integrated palliative care programs and services*. Worldwide Hospice Palliative Care Alliance.

Knaul, F. M., Farmer, P. E., Krakauer, E. L., De Lima, L., Bhadelia, A., Kwete, X. J., et al. (2018). Alleviating the access abyss in palliative care and pain relief: An imperative of universal health coverage. *The Lancet, 391*(10128), 1391–1454.

Murray, S. A., Kendall, M., Boyd, K., & Sheikh, A. (2005). Illness trajectories and palliative care. *BMJ, 330*(7498), 1007–1011.

Radbruch, L., De Lima, L., Knaul, F., Wenk, R., Ali, Z., Bhatnaghar, S., et al. (2020). Redefining palliative care—A new consensus-based definition. *Journal of Pain and Symptom Management, 60*(4), 754–764.

CC BY

ISSN 2674-8584

Received: 13/07/2026 - **Accepted:** 20/08/2026
Vol: 08.08 - August
DOI: 10.66104/gehjha65
Pages: 1-12

Sleeman, K. E., de Brito, M., Etkind, S., Nkhoma, K., Guo, P., Higginson, I. J., et al. (2019). The escalating global burden of serious health-related suffering: Projections to 2060 by world regions, age groups, and health conditions. *The Lancet Global Health, 7*(7), e883–e892.

Temel, J. S., Greer, J. A., Muzikansky, A., Gallagher, E. R., Admane, S., Jackson, V. A., et al. (2010). Early palliative care for patients with metastatic non–small-cell lung cancer. *New England Journal of Medicine, 363*(8), 733–742.

World Health Organization. (2018). *Integrating palliative care and symptom relief into primary health care: A WHO guide for planners, implementers and managers*. World Health Organization.

World Health Organization. (2020). *Palliative care*. World Health Organization.

Worldwide Hospice Palliative Care Alliance. (2020). *Global atlas of palliative care at the end of life* (2nd ed.). WHPCA.

Zimmermann, C., Swami, N., Krzyzanowska, M., Hannon, B., Leighl, N., Oza, A., et al. (2014). Early palliative care for patients with advanced cancer: A cluster-randomised controlled trial. *The Lancet, 383*(9930), 1721–1730.

CC BY